

# New 40° Angular Contact Ball Bearings

In addition to the quality and performance customers already enjoy, NSK now offers a new, higher capacity universal mounting series for greater convenience and longer bearing life.



# New 40° Angular Contact Ball Bearings



## Features

- Higher capacity and longer life compared to our conventional types
- Universal mounting, single row, angular contact ball bearings with various clearances and preload classes available
- Cage molded from a redesigned glass fiber reinforced polyamide 46 resin



## Bearing Nomenclature

Example: **7310 B EA T85 SU L**  

Angular contact ball bearing series

40° contact angle

Higher capacity

Polyamide 46 resin cage

Universal mounting

Accuracy

No suffix: ISO Class 0

P6: ISO Class 6

P5: ISO Class 5

Preload symbol

N: Clearance (larger than X)

X: Clearance

L: Light preload


M: Medium preload

H: Heavy preload

## Face control for 40° angular contact bearings

Bore Diameter (mm)		Axial Clearance (+) / Axial Interference (-) (Total for two bearings face to face or back to back) (µm)									
over	include	Suffix SUN		Suffix SUX		Suffix SUL		Suffix SUM		Suffix SUH	
		min	max	min	max	min	max	min	max	min	max
10	30	16	36	-2	18	-12	8	-16	4	-20	0
30	50	16	40	-2	18	-12	8	-18	2	-22	-2
50	80	22	46	-2	22	-14	6	-22	-2	-28	-8

Remark: These values are under measuring load.



**Dynamic Equivalent Load**  $P = XF_r + YF_a$

Contact Angle	$\frac{if_0 F_a^*}{C_{or}}$	$e$	Single, DT				DB or DF			
			$F_a/F_r \leq e$		$F_a/F_r > e$		$F_a/F_r \leq e$		$F_a/F_r > e$	
			X	Y	X	Y	X	Y	X	Y
40°	—	1.14	1	0	0.35	0.57	1	0.55	0.57	0.93

**Static Equivalent Load**  $P_0 = X_0 F_r + Y_0 F_a$

Contact Angle	Single, DT		DB or DF	
	$X_0$	$Y_0$	$X_0$	$Y_0$
40°	0.5	0.26	1	0.52

Single or DT mounting.  
When  $F_r > 0.5F_r + Y_0 F_a$  use  $P_0 = F_r$

\*For  $i$ , use 2 for DB or DF, and 1 for DT.

Bearing Numbers	Boundary Dimensions (mm)					Basic Load Ratings		Abutment and Fillet Dimensions (mm)					
	$d$	$D$	$B$	$r$ min	$r_1$ min	dynamic (N) $C$	static (N) $C_0$	$d_a$ min	$D_a$ max	$r_a$ max	$d_b$ min	$D_b$ max	$r_b$ max
7201BEA	12	32	10	0.6	0.3	7 750	3 750	17	27	0.6	14.5	29.5	0.3
7301BEA	12	37	12	1	0.6	10 500	4 950	18	31	1	17	32	0.6
7202BEA	15	35	11	0.6	0.3	9 300	4 800	20	30	0.6	17.5	32.5	0.3
7302BEA	15	42	13	1	0.6	13 600	6 900	21	36	1	20	37	0.6
7203BEA	17	40	12	0.6	0.3	11 000	6 100	22	35	0.6	19.5	37.5	0.3
7303BEA	17	47	14	1	0.6	16 000	8 300	23	41	1	22	42	0.6
7204BEA	20	47	14	1	0.6	14 800	8 150	26	41	1	25	42	0.6
7304BEA	20	52	15	1.1	0.6	18 900	10 500	27	45	1	25	47	0.6
7205BEA	25	52	15	1	0.6	16 700	10 200	31	46	1	30	47	0.6
7305BEA	25	62	17	1.1	0.6	25 900	14 900	32	55	1	30	57	0.6
7206BEA	30	62	16	1	0.6	22 600	14 300	36	56	1	35	57	0.6
7306BEA	30	72	19	1.1	0.6	34 500	20 600	37	65	1	35	67	0.6
7207BEA	35	72	17	1.1	0.6	31 000	19 600	42	65	1	40	67	0.6
7307BEA	35	80	21	1.5	1	38 500	24 400	44	71	1.5	41	74	1
7208BEA	40	80	18	1.1	0.6	36 500	24 500	47	73	1	45	75	0.6
7308BEA	40	90	23	1.5	1	50 500	33 000	49	81	1.5	46	84	1
7209BEA	45	85	19	1.1	0.6	38 500	27 100	52	78	1	50	80	0.6
7309BEA	45	100	25	1.5	1	59 500	39 500	54	91	1.5	51	94	1
7210BEA	50	90	20	1.1	0.6	40 000	29 700	57	83	1	55	85	0.6
7310BEA	50	110	27	2	1	74 500	50 500	60	100	2	56	104	1
7211BEA	55	100	21	1.5	1	49 000	37 000	64	91	1.5	61	94	1
7311BEA	55	120	29	2	1	85 000	58 500	65	110	2	61	114	1
7212BEA	60	110	22	1.5	1	59 000	45 000	69	101	1.5	66	104	1
7312BEA	60	130	31	2.1	1.1	97 500	68 500	72	118	2	67	123	1
7213BEA	65	120	23	1.5	1	66 500	53 500	74	111	1.5	71	114	1
7313BEA	65	140	33	2.1	1.1	108 000	77 000	77	128	2	72	133	1
7214BEA	70	125	24	1.5	1	72 000	58 500	79	116	1.5	76	119	1
7314BEA	70	150	35	2.1	1.1	118 000	87 500	82	138	2	77	143	1
7215BEA	75	130	25	1.5	1	75 000	63 500	84	121	1.5	81	124	1
7315BEA	75	160	37	2.1	1.1	127 000	98 500	87	148	2	82	153	1
7216BEA	80	140	26	2	1	83 500	70 000	90	130	2	86	134	1
7316BEA	80	170	39	2.1	1.1	138 000	110 000	92	158	2	87	163	1

## Worldwide Sales Offices

**NSK Ltd. - Headquarters, Tokyo, Japan** [www.nsk.com](http://www.nsk.com)  
 Overseas CS Department tel: 03-3779-7680  
 Asia Business Strategic Division-Headquarters tel: 03-3779-7121

**Africa**  
**South Africa:**  
 NSK South Africa (Pty) Ltd.  
 Johannesburg tel: (011) 458 3600

**Asia and Oceania**  
**Australia:**  
 NSK Australia Pty. Ltd. [www.nskaustralia.com.au](http://www.nskaustralia.com.au)  
 Melbourne tel: (03) 9764-8302

**China:**  
 NSK Hong Kong Ltd.  
 Hong Kong tel: 2739-9933  
 Kunshan NSK Co., Ltd.  
 Kunshan tel: 0512-5771-5654  
 Guizhou HS NSK Bearings Co., Ltd.  
 Anshun tel: 0853-3521505  
 NSK (Shanghai) Trading Co., Ltd.  
 Shanghai tel: 021-62099051  
 NSK representative office  
 Beijing [www.nsk.com.cn](http://www.nsk.com.cn)  
 tel: 010-6590-8161  
 NSK representative office  
 Shanghai tel: 21-6209-9051  
 NSK representative office  
 Guangzhou tel: 020-8732-0583  
 NSK representative office  
 Anshun tel: 0853-3522522

**India:**  
 Rane NASTECH Ltd.  
 Chennai tel: 04114-565313, 565314, 565365, 566002  
 NSK representative office  
 Chennai tel: 044-4334732

**Indonesia:**  
 PT. NSK Bearings Manufacturing Indonesia  
 Jakarta tel: 021-898-0155

**Korea:**  
 NSK Korea Co., Ltd. [www.nsk.co.kr](http://www.nsk.co.kr)  
 Seoul tel: 02-3287-0300  
 NSK Korea Co., Ltd., Changwon Plant  
 Changwon tel: 0551-287-6001

**Malaysia:**  
 NSK Bearings (Malaysia) Sdn. Bhd.  
 Kuala Lumpur tel: 03-7958-4396  
 NSK Micro Precision (M) Sdn. Bhd.  
 Kuala Lumpur tel: 03-961-6288

**New Zealand:**  
 NSK New Zealand Ltd. [www.nsk-rhp.co.nz](http://www.nsk-rhp.co.nz)  
 Auckland tel: (09) 276-4992

**Philippines:**  
 NSK representative office  
 Manila tel: 02-759-6246

**Singapore:**  
 NSK International (Singapore) Pte Ltd.  
 Singapore tel: (65) 6273 0357  
 NSK Singapore (Pte) Ltd.  
 Singapore tel: (65) 6278 1711

**Taiwan:**  
 Taiwan NSK Precision Co., Ltd.  
 Taipei tel: 02-2591-0656

**Thailand:**  
 NSK Bearings (Thailand) Co., Ltd.  
 Bangkok tel: 02-6412150-58  
 NSK Bearings Manufacturing (Thailand) Co., Ltd.  
 Chonburi tel: (038) 454010-454016  
 NSK Safety Technology (Thailand) Co., Ltd.  
 Chonburi tel: (038) 214-317-8  
 SIAM NSK Steering Systems Co., Ltd.  
 Chachoengsao tel: (038) 522-343-350

**Europe**  
**NSK Europe Ltd. (European Headquarters)** [www.eu.nsk.com](http://www.eu.nsk.com)  
 Maidenhead, U.K. tel: 01628-509800

**France:**  
 NSK France S.A.  
 Paris tel: 01 30 57 39 39

**Germany:**  
 NSK Deutschland GmbH  
 Düsseldorf tel: 02102-481-0  
 NSK Steering Systems Europe Ltd.  
 Stuttgart tel: 0771-79082-277  
 Neuweg Fertigung GmbH  
 Munderkingen tel: 07393-540

**Italy:**  
 NSK Italia S.P.A.  
 Milano tel: 02-995191  
 Industria Cuscinetti SPA  
 Torino tel: 0119824811

**Netherlands:**  
 NSK European Distribution Centre B.V.  
 Tilburg tel: 013-4647647

**Poland:**  
 NSK Europe Ltd. Warsaw Liaison Office  
 Warsaw tel: 022-645-1525, 1526  
 NSK Iskra S.A.  
 Kielce tel: 041-366-5001  
 NSK European Technology Center, Poland Office  
 Kielce tel: 041-366-5812

**Spain:**  
 NSK Spain S.A.  
 Barcelona tel: 093-575-4041

**Switzerland:**  
 Waelzlager Industrierwerke Bulle AG (W.I.B.)  
 Bulle tel: 026-9191100

**Turkey:**  
 NSK Bearings Middle East Trading Co., Ltd.  
 Istanbul tel: 0216-442-7106

**United Kingdom:**  
 NSK Bearings Europe Ltd.  
 Peterlee tel: 0191-586-6111  
 Aeroengine Bearings UK Ltd.  
 Stonehouse tel: 01453-822333  
 NSK European Technology Co., Ltd.  
 Ruddington tel: 0115-940-5409  
 NSK UK Ltd.  
 Newark tel: 01636-605123  
 NSK Steering Systems Europe Ltd.  
 Coventry tel: 024-76-588588

**North and South America**  
**NSK Americas, Inc. (American Headquarters)**  
 Ann Arbor, Michigan, U.S.A. tel: 734-913-7500

**Argentina:**  
 NSK Argentina SRL  
 Buenos Aires tel: 011-4762-6556

**Brazil:**  
 NSK Brasil Ltda.  
 São Paulo [www.br.nsk.com](http://www.br.nsk.com)  
 tel: 011-3269-4723

**Canada:**  
 NSK Canada Inc. [www.ca.nsk.com](http://www.ca.nsk.com)  
 Toronto tel: 905-890-0740

**Mexico:**  
 NSK Rodamientos Mexicana, S.A. de C.V.  
 Mexico City [www.mx.nsk.com](http://www.mx.nsk.com)  
 tel: 5-301-2741

**United States of America:**  
 NSK Corporation [www.nsk-corp.com](http://www.nsk-corp.com)  
 Ann Arbor, Michigan tel: 734-913-7500  
 Sales Offices:  
 Ann Arbor, Michigan tel: 734-913-7500  
 Cerritos, California tel: 562-926-2975  
 NSK American Technical Center  
 Ann Arbor, Michigan tel: 734-913-7500  
 NSK Precision America, Inc. [www.npa.nsk.com](http://www.npa.nsk.com)  
 Bloomington, Illinois tel: 630-924-8000  
 NASTECH [www.nastech.nsk.com](http://www.nastech.nsk.com)  
 Bennington, Vermont tel: 802-442-5448  
 NSK Latin America Inc. [www.latinamerica.nsk.com](http://www.latinamerica.nsk.com)  
 Miami, Florida tel: (305) 477-0605

NSK Ltd. has a basic policy not to export any products or technology designated as controlled items by export-related laws. When exporting the products in this brochure, the laws of the exporting country must be observed. Specifications are subject to change without notice and without any obligation on the part of the manufacturer. Every care has been taken to ensure the accuracy of the data contained in this brochure, but no liability can be accepted for any loss or damage suffered through errors or omissions. We will gratefully acknowledge any additions or corrections.

For more information about NSK products, please contact: \_\_\_\_\_



Printed on 100% recycled paper.